
## FORD TRUCKS 3242S HR EURO6



Basic Features					
Vehicle Type	Road Truck				
Axle	8x2				
Emission	Euro 6				
Cabin Type	High Roof Sleeper Cab				
Wheelbase (mm)	5200				
Engine					
Type	Ecotorg 12,7 litre				

 Type
 Ecotorq 12,7 litre

 Displacement (cc)
 12740

 Diameter x Stroke
 130 mm x 160 mm

 Power
 420 PS (308,9 kW) / 1800 rpm

 Torque
 2150 Nm / 1000-1300 rpm

 Compression Ratio
 17 +/- 0,5 : 1

 Oil Filling Volume
 50 L

 Coolant Volume
 57 L (77 L with Intarder)

Transmission
Clutch 430 mm Single Disc

Automated Transmission / Ratios (1. gear - 16. gear) Ecotorq 16S 2600 DD AMT (17,03 - 1,00)

Steering

Chassis

Power assisted single circuit

Chassis Thickness	7 mm with Reinforcement					
Chassis Strength	355 MPa					
Suspension (Front/Rear)	Parabolic Leaf Spring / Compensating Arm Mechanical Suspension					
Axle	Standard Single Reduction					
Axle Ratio	3,08					
Tyres (Front/Rear)	315/80 R 22,5					
Wheel Rim	22,5 x 9 Steel					

Braking System
Brakes (Front/Rear) (Ø.mm x mm. Length)
430 x 45 Disc Brake

Braking System

Dual Brake Circuit - Air Processing Unit with Integrated Oil Seperator and Heater

Engine Brake Power max. 320 kW (Engine Level)
Intarder Power max. 450 kW / continuous 160 kW

Electric System

Battery 180 Ah

Alternator / Starter Motor 130 A / 6,5 kW

Tanks

Fuel Tank 550 L Aluminium
SCR Tank 78 L



Dimensions (mm)					
Front Overhang			1500		
Wheelbase			5200		
Overall Length			9840		
Distance Between 1st and 2nd Wheel Centers			3770		
Distance Between 2 <sup>nd</sup> and 3 <sup>th</sup> Wheel Centers			1430		
Distance Between 3th and 4th Wheel Centers			1320		
Overall Cab Length			2305		
Overall Vehicle Height			3368		
Overall Vehicle Width (Excluding Mirrors)			2540		
Chassis Width			866		
Rear Overhang			1820		
Useful Chassis Length			7200		
Chassis height-Front			1049		
Chassis height-Rear			1076		
Ground clearance-Front			305		
Ground clearance-Rear			240		
Turning Radius			10700		
Weights (kg)	1. Axle	2. Axle	3. Axle	4. Axle	Total

Weights (kg)	1. Axle	2. Axle	3. Axle	4. Axle	Total
Technically Permissible Weights	7100	7100	12000	10400	33000
Kerb Weight	5399	1668	1907	1293	10267
Payload	1701	5432	10093	9107	22173
GVM (legal)	7100	7100	9500	8500	32000

## STANDARD EQUIPMENT

- Air Conditioner
- AM/FM/Aux In/USB/Bluetooth (Radio with Bluetooth)
- Auxiliary Cabin Heater (Dry Type)
- 4 Points Independent Cab Suspension for Day Cab
- Automated Transmission (with Normal Mode, Power Mode, Rocking Mode)
- Cruise Control
- Engine Brake
- Disc Brake
- Differential Lock
- Electronic Brake System (EBS) and Anti-Lock Brake System (ABS)
- Hill Launch Assist
- Electrically Operated Windows
- Electrically Operated and Heated Side Mirrors
- Electrically Operated Headlight Leveling
- Rake and Reach Adjustable Steering Column
- Heated and Air Suspended Driver Seat
- Lumbar Support
- Manually Operated Sunroof
- Continuous Wear Sensor
- Immobilizer
- Single Key with Remote Control and Central Locking
- Home Safe Light
- Approach Light
- Front and Rear Fog Lamps
- Digital Tachograph
- Spare Wheel
- Tag Axle Lifting (Auto Drop Function)
- Optional Equipments
- Front and Rear Vehicle Antiroll Bars
- Electronic Brake Force Control
- Medium Bumper
- Oil Pan Protection
- DAB Radio\*\*

## **OPTIONAL EQUIPMENT**

- Cold pack (Includes Dry Type Heater and 225 Ah Battery)
- Cold pack (Includes Wet Type Heater and 225 Ah Battery)
- Cold Pack

(Includes Dry Type Heater, Wet Type Heater and 225 Ah Battery)

- Firefighter Pack
- Transmission Offset (Double Gear) PTO without Flange (includes Power Take off Control Unit)
- Transmission Direct (Double Gear) PTO with Flange (includes Power Take off Control Unit)
- Engine Driven PTO & Interior Control Unit
- ADR Pack
- RCV Pack
- Cold Climate Pack
- Auxiliary Cabin Heater (Wet Type)
- Power Cab Tilting
- Metallic Paint / Special Colors
- RHS Free 5900 Wheelbase Option \*
- Rain Sensor (Available with auto light sensor)
- Intarder
- Front Towing Hooks (Double Hook)
- Rear Towing Cross Member
- 8T Front Axle Technical Capacity
- Less Spare Tire

\* Available with ADR and 250 L LHS Fuel Tank
\*\*DAB Radio can be standard or optional according to the market.